

Journal of Biomedical Optics

SPIEDigitalLibrary.org/jbo

Errata: Evaluation of human sclera after femtosecond laser ablation using two photon and confocal microscopy

Hui Sun
Ronald Kurtz
Tibor Juhasz



SPIE

Errata: Evaluation of human sclera after femtosecond laser ablation using two photon and confocal microscopy

Hui Sun,^a Ronald Kurtz,^b and Tibor Juhasz^{b,c}

^aAlcon LenSx Inc., 33 Journey, Aliso Viejo, California 92656

^bUniversity of California–Irvine, Department of Ophthalmology, Irvine, California 92697

^cUniversity of California–Irvine, Department of Biomedical Engineering, Irvine, California 92697

[DOI: [10.1117/1.JBO.17.8.089801](https://doi.org/10.1117/1.JBO.17.8.089801)]

This article [*J. Biomed. Opt.* **17**, 081411 (2012)] was originally published online on 14 June 2012 with mismatched captions for Figs. 4, 5, and Video 1. The corrected figures and captions are reprinted below.

The article was corrected online on 15 June 2012. It appears correctly in print.





Fig. 4 SHG imaging of subsurface channel at 205-micron depth.



Video 1 A video of the whole channel. (QuickTime, 186 KB) [URL: <http://dx.doi.org/10.1117/1.JBO.17.8.081411.1>].




Fig. 5 SHG imaging of subsurface channel edge.