Biomedical Optics

SPIEDigitalLibrary.org/jbo

Errata: Use of multiphoton tomography and fluorescence lifetime imaging to investigate skin pigmentation *in vivo*

Yuri Dancik Amandine Favre Chong Jin Loy Andrei V. Zvyagin Michael S. Roberts



Errata: Use of multiphoton tomography and fluorescence lifetime imaging to investigate skin pigmentation *in vivo*

Yuri Dancik,^{*a,b*} **Amandine Favre**,^{*a*} **Chong Jin Loy**,^{*c*} **Andrei V. Zvyagin**,^{*d*} **and Michael S. Roberts**^{*a,b*} ^{*a*}University of Queensland, School of Medicine, Brisbane, Queensland 4102, Australia ^{*b*}University of South Australia, School of Pharmacy and Biomedical Sciences, Adelaide, South Australia 5000, Australia Johnson & Johnson Asia Pacific, Singapore Research Center, Singapore 038985, Singapore ^dMacquarie University, MQ Biofocus Research Centre, Sydney, New South Wales 2109, Australia

[DOI: 10.1117/1.JBO.18.2.029802]

This article [J. Biomed. Opt. 18, 026022 (2013)] was originally published online on 14 February 2013 with an error in Fig. 7 caption. The word "corneum" has been replaced by "granulosum." The corrected caption reads:

Fig. 7 Maximum area-normalized fluorescence intensity corresponding to the lifetime τ_1 in stratum granulosum and stratum basale versus mean L^* value (Table 4) in (a) dorsal stratum granulosum; (b) dorsal stratum basale; (c) volar stratum granulosum; and (d) volar stratum basale. Data (mean \pm s:e:m:) from the five volunteers.

This article was corrected online on 20 February 2013. It appears correctly in print.