

Journal of Biomedical Optics

SPIEDigitalLibrary.org/jbo

Errata: Automatic three-dimensional registration of intravascular optical coherence tomography images

Giovanni J. Ughi
Tom Adriaenssens
Matilda Larsson
Christophe Dubois
Peter R. Sinnaeve
Mark Coosemans
Walter Desmet
Jan D'hooge



SPIE

Errata: Automatic three-dimensional registration of intravascular optical coherence tomography images

Giovanni J. Ughi,^a Tom Adriaenssens,^b Matilda Larsson,^{a,c} Christophe Dubois,^{a,b} Peter R. Sinnaeve,^{a,b} Mark Coosemans,^b Walter Desmet,^{a,b} and Jan D'hooge^a

^aCatholic University Leuven, Department of Cardiovascular Sciences, Herestraat 49, 3000 Leuven, Belgium

^bUniversity Hospitals Leuven, Department of Cardiovascular Sciences, Herestraat 49, 3000 Leuven, Belgium

^cKTH Royal Institute of Technology, SE-100 44, Stockholm, Sweden

[DOI: [10.1117/1.JBO.17.4.049803](https://doi.org/10.1117/1.JBO.17.4.049803)]

This article [*J. Biomed. Opt.* **17**, 026005 (2012)] was originally published online on 5 March 2012 with errors in the author affiliations. The second affiliation was removed, and the street address for both the Catholic University Leuven and University Hospitals Leuven was changed from “Minderbroederstraat 19” to “Herestraat 49.” The corrected affiliation appears above.

The article was corrected online on 26 March 2012.