

# Index

## A

absorption edge, 44  
acoustic impedance, 111  
aerogels, 108, 110  
artificial atoms, 27  
atomic force microscopy (AFM), 63,  
65, 86–87  
atomic layer deposition (ALD), 58–59  
Auger electron spectroscopy (AES),  
83–85

## B

ballistic transport, 35  
band diagram, 32  
bandgap, 113  
bandgap energy, 32  
biomimetics, 130  
bottom-up approaches, 53  
bottom-up nanotechnology, 4  
Buckminsterfullerene, 95–96  
bulk structure, 11

## C

C<sub>60</sub>, 95, 96  
carbon aerogels, 111  
carbon megatubes, 100  
carbon nano-onions, 100  
carbon nanobuds, 100  
carbon nanotube (CNT), 97, 100  
carbonization, 72  
charge carriers, 33  
chemical vapor deposition (CVD),  
57–58  
circular Bragg phenomenon, 107

colossal magnetoresistance (CMR),  
41  
columnar thin films (CTFs), 105–106  
conductance, 34  
conductance quantization, 35  
conductance quantum, 36  
conductivity, 34  
confinement energy, 17  
conformal-evaporated-film-by-  
rotation (CEFR) technique,  
107  
Coulomb blockade, 36, 112  
Coulomb-blockade model, 37  
Coulomb-blockade regime, 37  
cryogel, 110

## D

de Broglie wavelength, 12  
degeneracy, 25, 28  
diamond nanocrystallites, 100  
digital lithography, 63  
dip-pen nanolithography (DPN), 65  
direct bandgap, 32–33  
displays, 129

## E

eigenenergy, 17, 24–25, 27  
eigenfunctions, 16, 24, 27  
elastic recoil detection analysis  
(ERDA), 89–90  
electrical transport, 34  
electrochemical processes, 72  
electrodeposition, 72–73  
electron-beam lithography, 61

- electron energy loss spectroscopy (EELS), 81
- electron microscopy, 77
- electron paramagnetic resonance (EPR), 86–88
- electron spin resonance (ESR), 86
- ellipsometry, 91
- energy dispersive x-ray spectroscopy (EDS or EDX), 80
- energy levels, 24, 28
- evaporation, 53, 56
- exact quantization, 42
- exciton, 33
- extended x-ray absorption fine-structure (EXAFS), 85
- extreme ultraviolet lithography (EUV), 61
- F**
- ferromagnetism, 39
- fine structure constant, 42
- fluorophores, 115
- focused ion-beam (FIB) writing, 65
- friction force microscope, 86
- G**
- geometric self-organization, 68
- giant magnetoresistance (GMR), 40
- graphene, 95, 98
- H**
- Hall conductivity, 42
- Hall–Petch, 49
- Hall–Petch relation, 48
- Hall resistivity, 43
- Heisenberg uncertainty principle, 28, 102
- high-resolution scanning electron microscopy (HRSEM), 80
- high-resolution transmission electron microscopy (HRTEM), 77
- holes, 33
- I**
- indirect bandgap, 32–33
- infrared (IR) spectroscopy, 91
- injection lasers, 113
- ion-beam analysis, 87
- ion-beam-assisted deposition (IBAD), 57
- ion-beam sculpting, 65, 67
- ion-projection lithography (IPL), 61
- L**
- Landauer formula, 35
- Langmuir–Blodgett (LB) film, 115
- Langmuir–Blodgett (LB) film deposition, 69
- Langmuir–Blodgett (LB) method, 68, 70
- Langmuir–Blodgett patterning, 117
- Langmuir monolayer, 116
- laser ablation, 56
- laser-assisted direct imprint (LADI), 63
- laser-assisted nano-imprint lithography (LAN), 63
- lateral-force microscope (LFM), 86
- layer-by-layer (LbL) assembly, 70
- lithographically induced self-assembly (LISA), 63
- local surface plasmon resonance (LSPR), 46
- local surface plasmon resonance frequency, 46
- low-dimensional structures, 11
- low-energy electron diffraction (LEED), 81
- low-energy electron loss spectroscopy (LEELS), 81
- low-energy electron microscopy (LEEM), 80
- luminescence, 91
- M**
- magnetoresistance, 40–41
- metamaterials, 124, 130
- molecular beam epitaxy (MBE), 59, 60, 114
- molecular electronics, 130

multiwalled carbon nanotube  
(MWCNT), 97

## N

nano-actuators, 130  
nano-imprint lithography (NIL), 63  
nano-imprint technique, 64  
nanobiotechnology, 130  
nanocolumns, 105  
nanocomposite, 112, 129  
nanocrystals, 101  
nanodots, 112  
nanoelectronics, 129  
nanolithography, 60  
nanomagnetism, 129  
nanomaterials, 129  
nanomechanical tools (nanotools),  
130  
nanomedicine, 130  
nanoparticles, 2  
nanophotonics, 130  
nanopillar, 117, 119  
nanorods, 117  
nanoscience, 11  
nanosensors, 130  
nanostructure, 2, 11  
nanotechnology, 2, 11  
nanotools, 130  
nanowires, 118, 122, 129  
near-field scanning optical  
microscopy (NSOM), 85  
nuclear magnetic resonance (NMR),  
86  
nuclear reaction analysis (NRA), 90

## O

oblique angle deposition (OAD), 57,  
105, 106  
one-dimensional (1D) structure, 11  
optical absorption, 44–45  
optical lithography, 61  
optical spectrometry, 91

## P

particle-induced x-ray emission  
(PIXE), 89

photolithography, 61–62  
photoluminescence (PL), 91, 101,  
103, 115  
photons, 32  
polymer nanocomposite (PNC), 122,  
123  
porous silicon (PS), 101–102  
principal quantum number, 17  
proton-beam (p-beam) writing, 65  
proton-induced x-ray emission, 89  
pulsed laser deposition, 56  
pyrolysis, 72

## Q

quantum confinement effects, 101  
quantum dots (QDs), 12, 46,  
112–114, 129, 132  
quantum electronics, 129  
quantum engineering, 16  
quantum Hall effect, 42  
quantum mechanics, 12  
quantum-mechanical conductance, 36  
quantum numbers, 25  
quantum of 1D thermal conductance,  
39  
quantum point contact, 35  
quantum state, 17  
quantum well, 11  
quantum wire, 11

## R

Raman spectroscopy, 82  
reflection high-energy electron  
diffraction (RHEED), 81  
resistance quantum, 36, 42  
Rutherford backscattering  
spectrometry (RBS), 88–89

## S

scanning Auger microscopy (SAM),  
85  
scanning electron microscopy (SEM),  
77  
scanning probe lithography (SPL), 63  
scanning probe microscopy (SPM),  
63, 85

- scanning transmission electron microscopy (STEM), 80  
scanning tunneling microscopy (STM), 63, 66, 86  
Schrödinger equation, 13, 23  
sculptured thin films (STFs), 105–106  
secondary-ion mass spectrometry (SIMS), 89  
self-assembled monolayers, 68  
self-assembly, 67  
self-organization, 67  
SEM/HRSEM, 79  
single-walled carbon nanotubes (SWCNT), 97, 99  
sol gel, 109  
sol-gel processing, 72  
solar cells, 114–115, 120–121  
spectroscopic techniques, 81  
spintronics, 40  
spray conversion processing, 72  
sputtering, 53, 57, 89  
step-and-flash imprint lithography, 63  
superplasticity, 48  
surface-enhanced Raman spectroscopy (SERS), 82–83
- T**  
templated self-organization, 68  
thermal conductivity, 38, 112  
thermal spraying, 72  
thermolysis, 72  
three-dimensional (3D) structure, 11  
time-harmonic Schrödinger equation, 14, 25
- top-down approaches, 53  
top-down nanotechnology, 4  
transmission electron microscopy (TEM), 77  
2D electron gas, 34–35  
two-dimensional (2D) structure, 11
- U**  
ultraviolet photoelectron spectroscopy (UPS), 84
- V**  
VLS processes, 118  
von Klitzing constant, 42
- W**  
wave number, 32  
wave vector, 32  
wavefunction, 13  
wave-particle duality, 13
- X**  
x-ray diffraction (XRD), 90  
x-ray lithography, 61  
x-ray photoelectron spectroscopy (XPS), 83–84  
xerogel, 110–111
- Y**  
yield strength, 48–49
- Z**  
zero-dimensional (0D) structure, 12  
zero-point energy, 17



**Raúl J. Martín-Palma** (b. Madrid, Spain, 1972) is a professor of physics at the Universidad Autónoma de Madrid (Spain). He received his M.S. degree in applied physics in 1995 and his Ph.D. in physics in 2000, both from the Universidad Autónoma de Madrid. He has been a post-doctoral Fellow at the New Jersey Institute of Technology (Newark, NJ, USA) and a visiting professor at The Pennsylvania State University (USA). He has received young scientists' awards from the European Materials Research Society and Materials Research Society (USA) for his research on nanostructured materials.



**Akhlesh Lakhtakia** (b. Lucknow, India, 1957) is the Charles Godfrey Binder Professor of Engineering Science and Mechanics at The Pennsylvania State University and is Editor-in-Chief of SPIE's *Journal of Nanophotonics*. He obtained B.Tech. (1979) and D.Sc. (2006) degrees in electronics engineering from the Banaras Hindu University, and M.S. (1981) and Ph.D. (1983) degrees in electrical engineering from the University of Utah. He is a Fellow of SPIE, the Optical Society of America, the Institute of Physics (UK), and the American Association for the Advancement of Science.